

1-A-1	1-A-1 Abdominal pain.	50	AIRCRAFT EMERGENCY
1-C-1	1-C-1 Males (age >35).	51	APARTMENT FIRE
1-C-2	1-C-2 Females (age >45).	52	APPLIANCE FIRE
1-C-3	1-C-3 Not alert.	53	ASSIST LAW/EMS
1-C-4	1-C-4 Females with fainting (age 12-50).	54	BOAT/BARGE FIRE
2-A-1	2-A-1 No difficulty breathing or swallowing.	55	BOMB THREAT
2-A-2	2-A-2 Rash (w/o history of allergies and symptoms >1 hr).	56	CO DETECTOR
2-B-1	2-B-1 Unknown symptoms (third party).	57	CHIMNEY FIRE
2-C-1	2-C-1 Difficulty breathing or swallowing.	58	COMMERCIAL FIRE
2-D-1	2-D-1 SEVERE respiratory distress.	59	DOWN POWER LINES
2-D-2	2-D-2 Not alert.	60	DUMPSTER FIRE
2-D-3	2-D-3 Condition worsening.	61	ELECTRICAL FIRE
3-A-1	3-A-1 Severe CENTRAL bites.	62	ELECTRICAL SERVICE CALL
3-A-2	3-A-2 Spider or insect bites.	63	ELEVATOR RESCUE
3-B	3-B ANIMAL BITES/ATTACKS--Unknown situation.	64	EXTINGUISHED FIRE
3-B-1	3-B-1 PERIPHERAL bites with serious hemorrhage.	65	FIRE ALARM RES/COMM
3-D-1	3-D-1 Severe CENTRAL bites.	66	FUEL/FLUID SPILL
3-D-2	3-D-2 Large Carnivore.	67	GRASS/WOODS FIRE
3-D-3	3-D-3 Zoo Animal.	68	HAZARDOUS MATERIALS
3-D-4	3-D-4 EXOTIC Animal.	69	INSERVICE FIRE CALL
3-D-5	3-D-5 Any Snake.	70	KITCHEN FIRE
4-A-1	4-A-1 NOT DANGEROUS injuries.	71	LAND LIFE FLIGHT
4-A-2	4-A-2 NON-recent injuries (>6 hours).	72	LIGHTNING STRIKE
4-B-1	4-B-1 POSSIBLY DANGEROUS injuries.	73	MANPOWER NEEDED
4-B-2	4-B-2 Serious hemorrhage.	74	NATURAL GAS LEAK
4-B-3	4-B-3 Unknown injuries (third party).	75	NATURAL GAS LEAK W/FIRE
4-D-1	4-D-1 Multiple victims.	76	OTHER FIRE CALL
4-D-2	4-D-2 DANGEROUS injuries.	77	RESCUE
4-D-3	4-D-3 Not alert.	78	RESIDENTIAL FIRE
4-D-4	4-D-4 Abnormal breathing.	79	SCHOOL FIRE
5-A-1	5-A-1 Non-traumatic back pain.	80	SMOKE SCARE IN AREA
5-A-2	5-A-2 NON-recent traumatic back pain.	81	SMOKE SCARE IN RES/COMM
5-B	5-B BACK PAIN--Unknown symptoms.	82	STOVE/OVEN FIRE
5-C-1	5-C-1 Fainting (age >50 and non-traumatic).	83	SWIFT WATER RESCUE
5-D-1	5-D-1 Not alert.	84	TRAILER/BARN FIRE
6-C-1	6-C-1 Difficulty breathing.	85	TRAIN ACCDNT/DERAILMNT
6-C-2	6-C-2 Asthma.	86	TRANSFORMER FIRE
6-D-1	6-D-1 SEVERE respiratory distress.	87	TRASH FIRE
6-D-2	6-D-2 Not alert.	88	UNKNOWN TYPE FIRE
6-D-3	6-D-3 Sweaty or changing color.	89	VEHICLE FIRE
6-D-4	6-D-4 Cardiac history.	90	WATER RESCUE/ACCIDENT
7-A-1	7-A-1 Small or minor burns.		
7-B-1	7-B-1 Extent unknown (third party).		

7-C-1	7-C-1 Electrical burns.
7-C-2	7-C-2 Difficulty breathing.
7-C-3	7-C-3 Large > 18% burns.
7-D-1	7-D-1 Multiple victims.
7-D-2	7-D-2 SEVERE respiratory distress.
7-D-3	7-D-3 Not alert.
7-D-4	7-D-4 Explosion.
8-B	8-B CARBON MONOX/INHALATION/HAZ-MAT--Unknown situation
8-B-1	8-B-1 Alert and breathing normally.
8-C-1	8-C-1 Alert with abnormal breathing.
8-D-1	8-D-1 Multiple victims.
8-D-2	8-D-2 Not alert.
9-B	9-B CARDIAC/RESPIRATORY ARREST--Unknown situation.
9-B-1	9-B-1 Obvious death situation (unquestionable).
9-D-1	9-D-1 Suspected Cardiac Arrest.
9-D-2	9-D-2 Suspected Respiratory Arrest.
10-A-1	10-A-1 Normal breathing (age < 35).
10-B	10-B CHEST PAIN--Unknown situation.
10-C-1	10-C-1 Normal breathing (age >35).
10-C-2	10-C-2 Abnormal breathing.
10-C-3	10-C-3 Cocaine use (any age).
10-D-1	10-D-1 SEVERE respiratory distress.
10-D-2	10-D-2 Not alert.
10-D-3	10-D-3 Sweaty or changing color
10-D-4	10-D-4 Cardiac history.
11-A-1	11-A-1 Not choking now.
11-B	11-B CHOKING--Unknown situation.
11-D-1	11-D-1 Choking.
11-D-2	11-D-2 Abnormal breathing.
11-D-3	11-D-3 Not alert.
12-A-1	12-A-1 Breathing now physically verified.
12-B	12-B CONVULSIONS/SEIZURES--Unkown situation.
12-B-1	12-B-1 Age <35 (breathing not verified).
12-C-1	12-C-1 Pregnancy.
12-C-2	12-C-2 Trauma.
12-C-3	12-C-3 Diabetic.
12-C-4	12-C-4 Cardiac history.
12-D-1	12-D-1 Continuous or multiple seizures.
12-D-2	12-D-2 Age >35 (breathing not verified).
12-D-3	12-D-3 Not breathing (verified).
13-A-1	13-A-1 Conscious and alert.
13-B	13-B DIABETIC PROBLEMS--Unknown condition.
13-C-1	13-C-1 Conscious but not alert.
13-C-2	13-C-2 Conscious with abnormal breathing.
13-D-1	13-D-1 Unconscious.
14-A-1	14-A-1 Alert and breathing normally.
14-B-1	14-B-1 Unknown status.
14-C-1	14-C-1 Alert with abnormal breathing.

14-D-1	14-D-1 Unconscious.
14-D-2	14-D-2 Not breathing.
14-D-3	14-D-3 Not alert.
14-D-4	14-D-4 Suspected neck injury.
14-D-5	14-D-5 Diving or SCUBA accident.
15-B	15-B ELECTROCUTION--Unknown situation.
15-C-1	15-C-1 Alert and breathing normally.
15-D-1	15-D-1 Unconscious.
15-D-2	15-D-2 Victim not disconnected from power.
15-D-3	15-D-3 Power not off.
15-D-4	15-D-4 Not alert.
15-D-5	15-D-5 Abnormal breathing.
15-D-6	15-D-6 Long Fall (>6 ft).
15-D-7	15-D-7 LIFE STATUS QUESTIONABLE.
16-A-1	16-A-1 MODERATE eye problems.
16-A-2	16-A-2 MINOR eye problems.
16-B	16-B EYE PROBLEMS/INJURIES--Unknown situation.
16-B-1	16-B-1 SEVERE eye injuries.
16-D-1	16-D-1 Not alert.
17-A-1	17-A-1 NOT DANGEROUS injuries.
17-A-2	17-A-2 NON-recent injuries (>6 hrs).
17-B-1	17-B-1 POSSIBLY DANGEROUS injuries.
17-B-2	17-B-2 Serious bleeding.
17-B-3	17-B-3 Unknown situation (third party).
17-D-1	17-D-1 DANGEROUS injuries.
17-D-2	17-D-2 Long fall (>6 ft).
17-D-3	17-D-3 Not alert.
17-D-4	17-D-4 Abnormal breathing.
18-A-1	18-A-1 Headache only (without priority symptoms).
18-B	18-B HEADACHE--Unknown situation.
18-C-1	18-C-1 Not alert.
18-C-2	18-C-2 Numbness or paralysis.
18-C-3	18-C-3 Speech and movement problems.
18-C-4	18-C-4 Sudden onset of severe pain.
18-C-5	18-C-5 Recent head injury.
19-A-1	19-A-1 Heart rate <130 (without priority symptoms).
19-B-1	19-B-1 Unknown symptoms.
19-C-1	19-C-1 Not alert.
19-C-2	19-C-2 Cardiac history.
19-C-3	19-C-3 Heart rate >130 (without priority symptoms).
19-C-4	19-C-4 Cocaine use.
19-D-1	19-D-1 Firing of implanted defibrillator.
20-A-1	20-A-1 Alert without priority symptoms.
20-B-1	20-B-1 Change in skin color.
20-B-2	20-B-2 Unknown symptoms (third party).
20-C-1	20-C-1 Cardiac history.
20-D-1	20-D-1 Not alert.
21-A-1	21-A-1 NOT DANGEROUS hemorrhage.

21-B	21-B HEMORRHAGE/LACERATIONS--Unknown injuries.
21-B-1	21-B-1 POSSIBLY DANGEROUS hemorrhage.
21-D-1	21-D-1 DANGEROUS hemorrhage.
21-D-2	21-D-2 Not alert.
22-B-1	22-B-1 Unknown illness or injuries.
22-D-1	22-D-1 Multiple victims.
22-D-2	22-D-2 Caught in machinery.
22-D-3	22-D-3 LIFE STATUS QUESTIONABLE.
23-A-1	23-A-1 Conscious and alert (age 1 through 11).
23-B	23-B OVERDOSE/INGESTION/POISONING--Unknown situation.
23-B-1	23-B-1 Conscious and alert (age <1 or >12 years).
23-C-1	23-C-1 Not alert.
23-C-2	23-C-2 Difficulty breathing.
23-C-3	23-C-3 Anti-depressants (tricyclic) identified.
23-C-4	23-C-4 Cocaine use.
23-C-5	23-C-5 Acid or lye.
23-D-1	23-D-1 Unconscious.
23-D-2	23-D-2 Respiratory arrest.
23-D-3	23-D-3 LIFE STATUS QUESTIONABLE.
24-A-1	24-A-1 First TRIMESTER bleeding.
24-A-2	24-A-2 Illness during pregnancy.
24-B-1	24-B-1 Unknown pregnancy problem.
24-C-1	24-C-1 Labor (Delivery not imminent).
24-C-2	24-C-2 Second TRIMESTER bleeding.
24-D-1	24-D-1 Baby born.
24-D-2	24-D-2 Baby(part) visible.
24-D-3	24-D-3 IMMINENT delivery.
24-D-4	24-D-4 Third TRIMESTER bleeding.
24-D-5	24-D-5 BREECH presentation.
25-A-1	25-A-1 Non-violent and non-suicidal.
25-B-2	25-B-2 Unknown situation (third party).
25-B-1	25-B-1 Serious hemorrhage.
25-C-1	25-C-1 Not alert.
25-C-2	25-C-2 Violent.
25-C-3	25-C-3 Suicidal (threatening).
25-D-1	25-D-1 Hanging.
25-D-2	25-D-2 Strangulation.
25-D-3	25-D-3 Gunshot wound.
26-A-1	26-A-1 No priority symptoms.
26-A-2	26-A-2 Boils.
26-A-3	26-A-3 Bumps (non-traumatic).
26-A-4	26-A-4 Can't Sleep.
26-A-5	26-A-5 Can't urinate.
26-A-6	26-A-6 Catheter.
26-A-7	26-A-7 Constipation.
26-A-8	26-A-8 Cramps/Spasms.
26-A-9	26-A-9 Cut off rings.
26-A-10	26-A-10 Deafness.

26-A-11	26-A-11	Defecation.
26-A-12	26-A-12	Earache.
26-A-13	26-A-13	Enema.
26-A-14	26-A-14	Gout.
26-A-15	26-A-15	Hemorrhoids.
26-A-16	26-A-16	Hepatitis.
26-A-17	26-A-17	Hiccups.
26-A-18	26-A-18	Hungry.
26-A-19	26-A-19	Nervous.
26-A-20	26-A-20	Object stuck.
26-A-21	26-A-21	Object swallowed.
26-A-22	26-A-22	Penis problems/pain.
26-A-23	26-A-23	Rash/Skin disorder.
26-A-24	26-A-24	Sore throat.
26-A-25	26-A-25	Toothache.
26-A-26	26-A-26	Transportation only.
26-A-27	26-A-27	Venereal disease.
26-A-28	26-A-28	Wound infected.
26-A-29	26-A-29	Child Locked in Veh.
26-A-30	26-A-30	Fever.
26-A-31	26-A-31	Medical Alarm.
26-B-1	26-B-1	SICK PERSON--Unknown symptoms.
26-C-1	26-C-1	Not alert.
26-C-2	26-C-2	Cardiac history (w/o priority symptoms).
27-A-1	27-A-1	NON-recent single PERIPHERAL wound.
27-B	27-B	SHOOTING/STABBING--Unknown situation.
27-B-1	27-B-1	Known single PERIPHERAL wound.
27-B-2	27-B-2	NON-recent single central wound.
27-D-1	27-D-1	CENTRAL wounds.
27-D-2	27-D-2	Multiple victims.
27-D-3	27-D-3	Not alert.
27-D-4	27-D-4	Multiple wounds.
28-A-1	28-A-1	Alert and breathing normally.
28-B-1	28-B-1	Unknown symptoms.
28-C-1	28-C-1	Not alert.
28-C-2	28-C-2	Abnormal breathing.
29-A-1	29-A-1	First party caller with not dangerous injuries.
29-B-1	29-B-1	Injury accident.
29-B-2	29-B-2	TRAFFIC ACCIDENT--Unknown injuries.
29-D-1	29-D-1	Multiple victims.
29-D-2	29-D-2	Auto-pedestrian.
29-D-3	29-D-3	Auto-motorcycle/bike.
29-D-4	29-D-4	Trapped victims.
29-D-5	29-D-5	Ejected victims.
29-D-6	29-D-6	Not alert.
29-D-7	29-D-7	SEVERE respiratory distress.
30-A-1	30-A-1	NOT DANGEROUS injuries.
30-A-2	30-A-2	NON-recent injuries (>6 hours).

30-B	30-B TRAUMATIC INJURIES--Unknown injuries.
30-B-1	30-B-1 POSSIBLY DANGEROUS injuries.
30-B-2	30-B-2 Serious hemorrhage.
30-D-1	30-D-1 DANGEROUS injuries.
30-D-2	30-D-2 SEVERE respiratory distress.
30-D-3	30-D-3 Not alert.
31-A-1	31-A-1 Single fainting episode.
31-B	31-B UNCONSCIOUS--Unknown situation.
31-C-1	31-C-1 Single fainting episode (age >35).
31-C-2	31-C-2 Multiple fainting episodes.
31-C-3	31-C-3 Females with abdominal pain (age 12-50).
31-C-4	31-C-4 Conscious with abnormal breathing.
31-D-1	31-D-1 Unconscious.
31-D-2	31-D-2 SEVERE respiratory distress.
31-D-3	31-D-3 Cardiac history.
32-B-1	32-B-1 Standing, sitting up, moving, or talking.
32-B-2	32-B-2 Medical Alert notification.
32-B-3	32-B-3 Unknown problem (third party).
32-D-1	32-D-1 LIFE STATUS QUESTIONABLE.
33	33 - FIRE/LAW ENFORCEMENT STAND-BY
34	34 - MEDICAL ALARM